

# The Reflector

21914 N.E. 112th Ave., P.O. Box 2020, Battle Ground, Washington 98604-2020  
(206) 687-5151 • FAX: (206) 687-5162

## Affidavit of Publication

STATE OF WASHINGTON [ SS.  
COUNTY OF CLARK

Marvin F. Case, being first  
duly sworn on oath, desposes and says that he is

Publisher

of THE REFLECTOR, a weekly newspaper. That said newspaper is a legal newspaper by order of the superior court in the county in which it is published and it is now and has been for more than six months prior to the date of publication hereinafter referred to, published in the English language, continually as a weekly newspaper in Battle Ground, Clark County, Washington, and is now and during all of said time was printed in an office maintained at the aforesaid place of publication of said newspaper. That the annexed is a true copy of \_\_\_\_\_

Water Rights Notice

as it was published in regular issues (and not in supplement form) of said newspaper once a week for a period of 2 consecutive weeks commencing on the 30th day of December, 19 92, and ending on the 6th day of

January 19 93, both dates inclusive and that such newspaper was regularly distributed to its subscribers during all of said period. That the full amount of the fee charged for the foregoing publication is the sum of \$ 20.00

which amount has been paid in full at the rate of \$4.00 per column inch for the first insertion and \$3.25 per column inch for each subsequent insertion.

Subscribed and sworn to before me this

6th day of January, 19 93

Barbara Edanow

Notary Public in and for the State of Washington  
Residing at Battle Ground, Washington

SEAL

### NOTICE OF APPLICATION TO APPROPRIATE PUBLIC WATERS

#### TAKE NOTICE:

That Stephen B. Wade of Battle Ground, Washington on December 2, 1992 under Application No. G2-28687 filed for permit to appropriate public waters, subject to existing rights, from a well in the amount of 100 gallons per minute as needed year round each year, for single domestic supply and irrigation during the irrigation season. The source of the proposed appropriation is located within NW 1/4 SW 1/4 of Section 16, Township 4N., Range 2E, W.M., in Clark County.

Protests or objections to approval of this application must include a detailed statement of the basis for objections; protests must be accompanied by a two dollar (\$2.00) recording fee and filed with the Department of Ecology, at the address shown below, within thirty (30) days from January 6, 1993.

Dept. of Ecology  
P.O. Box 47775  
Olympia, WA 98504-7775  
Dec30, Jan6

affidavit OK  
1/22/93  
JK



STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

7272 Cleanwater Lane • PO Box 47775 • Olympia, Washington 98504-7775 • (206) 753-2353

October 4, 1994

Stephen B. Wade  
20312 NE 237th Avenue  
Battleground, Washington 98604-9627

Dear Mr. Wade:

Re: Water Right Application G2-28687

The Department of Ecology is currently evaluating your application for a water right permit. In reviewing your application, I find I need some additional information to help with our decision. Please take a few minutes and respond the following questions:

- 1) How many acres will you be irrigating per season?
- 2) How many acres are you currently irrigating?
- 3) What kind of crop(s) do you plan to irrigate?
- 4) What type of irrigation system will you be using?
- 5) Is your well currently metered? If not, how do you calculate your water usage?

Thanks for your attention to this matter. Please respond in writing so I can include this information in your file. Be sure to reference your water right application number in your response.

Sincerely,

Jill Van Hulle  
Water Resources

JVH:th



CHRISTINE O. GREGOIRE  
Director



STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

7272 Cleanwater Lane, LU-11 • Olympia, Washington 98504-6811 • (206) 753-2353

January 22, 1993

Stephen B Wade  
20312 NE 237th Ave  
Battle Ground, Washington 98604-9627

Dear Mr. Wade:

Re: Ground Water Application No. G 2-28687

We acknowledge receipt of your affidavits of publication of notice in connection with the above-numbered applications.

The water codes require that no action be taken toward issuance of a permit earlier than thirty (30) days after the last date of publication. This period of time is allowed for filing any protests or objections.

A site investigation will be made by this office before we issue a permit decision. In light of our water right backlog, we estimate it will be about 18 months after receipt of your application before we are able to conduct the site investigation.

Sincerely,

A handwritten signature in cursive script, reading "Sheri Fox", is written over the typed name.

Sheri Fox  
Water Resources

SF:lo(12A)



CHRISTINE O. GREGOIRE  
Director



STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

7272 Cleanwater Lane, LU-11 • Olympia, Washington 98504-6811 • (206) 753-2353

December 16, 1992

Stephen B. Wade  
20312 NE 237th Ave  
Battle Ground, Washington 98604-9627

Dear Mr. Wade:

Re: Ground Water Application No. G 2-28687

Enclosed is a notice of your application which must be published once a week for two consecutive weeks in a qualified legal newspaper of general circulation in the County or Counties in which the storage, diversion, and use is to be made and in other newspapers as directed. A list of these newspapers in your county is enclosed. The applicant is responsible for the payment of the publication.

Please read the notice carefully to make sure it is correct. Should you find an error, please return the notice to our office for correction.

You should mail or deliver the enclosed notice to a newspaper regarding publication as soon as possible. When you receive the affidavit of publication from the newspaper, please forward it to this office promptly.

A site investigation will be made by this office before we issue a permit decision.

In light of our water right backlog, we estimate it will be about 18 months after receipt of your application before we are able to conduct the site investigation.

Sincerely,

A handwritten signature in cursive script, appearing to read "Sheri Fox".

Sheri Fox  
Water Resources

SF:th  
Enclosures

STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

NOTICE OF APPLICATION TO APPROPRIATE PUBLIC WATERS

TAKE NOTICE:

That Stephen B. Wade  
of Battle Ground, Washington on December 2, 1992 under  
Application No. G2-28687 filed for permit to appropriate public waters, subject to existing rights,  
from a well  
in the amount of 100 gallons per minute as needed year round  
each year, for single domestic supply and irrigation during the irrigation season  
The source of the proposed appropriation is located within NW 1/4 SW 1/4  
of Section 16, Township 4 N., Range 2E W.M., in Clark County.

*Protests or objections to approval of this application must include a detailed statement of the basis for objections; protests must be accompanied by a two dollar (\$2.00) recording fee and filed with the Department of Ecology, at the address shown below, within thirty (30) days from*

*(Last date of publication to be entered above by publisher)*

\* Notice must be published once a week for two consecutive weeks.

Dept. of Ecology  
P.O. Box 47725  
Olympia, WA 98504-7725







Exhibit A

That portion of the Southwest quarter of Section 16, Township 4 North, Range 2 East of the Willamette Meridian, Clark County, Washington, described as follows:


BEGINNING at the Northeast corner of said Southwest quarter; thence South along the East line thereof 450 feet; thence Southwesterly in a straight line to a point that is 1005 feet West of the East line of said Southwest quarter and 1300 feet South of the North line of said Southwest quarter and the true point of beginning of the following described tract; thence North parallel to the East line of said Southwest quarter 1300 feet, more or less, to the North line thereof; thence West along the North line of said Southwest quarter 645 feet, more or less, to the Northwest corner of that tract conveyed to William P. McGee by deed recorded in Book 153, page 400, records of Clark County, Washington; thence South along the West line of said McGee tract to a point that is 1240 feet North of the South line of said Southwest quarter; thence Northeasterly in a straight line to the true point of beginning.

TOGETHER WITH AND SUBJECT TO an easement for ingress, egress and utilities over the following described strips of land:

A strip of land 30 feet in width the West line of which begins on the South line of said Southwest quarter at the Southwest corner of that tract conveyed to William P. McGee by deed recorded in Book 153, page 400 records of Clark County, Washington, said point being 1650 feet, more or less, West of the Southeast corner of said Southwest quarter; thence North along the West line of said McGee tract 1050 feet to the terminus of said 30 foot strip; thence continuing, over a strip of land 200 feet in width the West line of which is described as follows, North along the West line of said McGee tract 190 feet to the terminus of said 200 foot strip; thence continuing, over a strip of land 60 feet in width the South line of which is described as follows, Northeasterly in a straight line to a point that is 1005 feet West of the East line of said Southwest quarter and 1300 feet South of the North line of said Southwest quarter and the terminus of said 60 foot strip. (The Northerly line of said 60 foot strip shall be extended Northeasterly to a point 1005 feet West of the East line of said Southwest quarter)

645 for -

NOTE:  
PACIFIC  
SEE NAT  
FOR RES



This sketch is provided, without charge, for your information. It is not intended to show matters related to the ~~probate~~ including, but not limited to, ~~dimensions~~, easements, encroachments, or location of boundaries. It is not a part of, nor does it modify, the commitment or policy to which it is attached. The Company assumes NO LIABILITY for any matter related to this sketch. References should be made to an accurate survey for further information.



(1) OWNER: Name Stephen B Wade  
(2) LOCATION OF WELL: County Clark  
(2a) STREET ADDRESS OF WELL (or nearest address) 28400 NE 96th Avenue Battle Ground WA 98604

Address 20312 NE 237th Avenue Battle Ground WA 98604  
NW 1/4 SW 1/4 Sec 16 T 4 N R 2 EM

(3) PROPOSED USE: DOMESTIC Owner Well ID 1  
(4) Type of work: NEW WELL  
Method: ROTARY

(10) WELL LOG or ABANDONMENT PROCEDURE DESCRIPTION

(5) DIMENSIONS: Diameter of well 6 inches.  
Drilled 260 feet. Depth of completed well 257 ft.

Material	From	To
Topsoil and subsoil	0	4
Clay, brown	4	15
Clay, brown, tough, sticky	15	24
Clay, brown, sticky with gravel	24	29
Gravel, brown and black with brown sandy clay	29	45
Gravel, brown and black, slightly weathered with brown and gray sand and tan silt	45	63
Gravel, brown and black, slightly weathered with tan clay binder and seams of tan clay	63	80
Gravel, black and brown with gray, silty, some water	80	91
Clay, white, sticky	91	95
Clay, blue, sticky	95	98
Clay, tan, sticky	98	104
Clay, gray, blue, sticky	104	130
Clay, gray and blue	130	145
Clay, blue with some gray sandstone	145	155
Sandstone, gray with fine gray sand	155	166
Sand, gray, fine with gray silt, sandstone	166	178
Sandstone, gray with gray sand and traces of gray clay	178	196
Sandstone, brown	196	198
Conglomerate of fine gravel, sand and clay, brown with seams of brown waterbearing sand	198	226
Sand, brown, fine, waterbearing	226	231
Sand, reddish brown and red silt with cemented rusty red seams	231	248
Sand, brown with brown silt, waterbearing	248	259

(6) CONSTRUCTION DETAILS:  
Casing instld: 6 " Diam. from 0 ft. to 247. ft.  
Welded 'X' " Diam. from ft. to ft.  
Liner " Diam. from ft. to ft.  
Threaded "

Perforations: Yes \_ No X  
Type of perforator used \_\_\_\_\_  
Size of perforations \_\_\_\_\_ in. by \_\_\_\_\_ in.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ in.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ in.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ in.

Screens: Yes X No \_  
Manufacturer's Name \_\_\_\_\_  
Type STAINLESS STEEL Model No \_\_\_\_\_  
Diam 6 Slot size 14 from 247.5 ft. to 252.5 ft.  
Diam 6 Slot size 16 from 252.5 ft. to 257.5 ft.

Gravel packed: Yes \_ No X Size of gravel \_\_\_\_\_  
Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Surface seal: Yes X No \_ To what depth? 18 ft.  
Material used in seal BENTONITE  
Did any strata contain unusable water? Yes \_ No X  
Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
Method of sealing strata off \_\_\_\_\_

(7) PUMP: Manufacturer's Name \_\_\_\_\_  
Type \_\_\_\_\_ H.P. \_\_\_\_\_

Iron - .5 ppm or less  
Hardness - 2 gpg  
P.H. - 7

(8) WATER LEVELS: Surface elev above mean sea level \_\_\_\_\_ ft.  
Static level 192 ft. below top of well Date 10/09/92  
Artesian pressure \_\_\_\_\_ lbs. per sq. in. Date \_\_\_\_\_  
Artesian pressure is controlled by \_\_\_\_\_

(9) WELL TESTS: Pump test made? \_\_\_\_\_ By whom? \_\_\_\_\_  
Yield \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs  
Yield \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs  
Yield \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs  
Recovery data:  
Time Wtr. Lvl. Time Wtr. Lvl. Time Wtr. Lvl.

Date of test \_\_\_\_\_  
Bailer test 20 gal/min with 1/2 ft. drawdown after 1 hr  
Airtest \_\_\_\_\_ gal/min with stem set at \_\_\_\_\_ ft. for \_\_\_\_\_ hrs  
Artesian flow \_\_\_\_\_ gal/min Date \_\_\_\_\_  
Temperature of water \_\_\_\_\_ Was chemical analysis made? YES

Work Started 10/06/92 Completed 10/09/92

WELL CONSTRUCTOR CERTIFICATION:

I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

Name RITOLA WELL DRILLING  
Address 14214 NE 202nd Avenue Brush Prairie WA 98606

(Signed) Charles L. Ritol License No 1501  
(Well Driller)

Contractor's Registration No. RITOLD251MM Date 10/12/92  
Based on form ECY 050 1-20 (10/87) -1329- by Speed Systems Corp.

0 1 15 12  
1" = 100'

Forest

well  
Location

